

BC Breaks vs 5.2.2-B1 [5.3.0-B1]

Class Deleted (6)

Element	Introduced In	Fixed In
CategoryItemRewrite	INP-1079 - Use "Router" concept instead of "Rewrite Listener" concept RESOLVED	NEVER
CategoryItems_DBItem	INP-1316 - Add primary key to table, that don't have it RESOLVED	NEVER
UserGroups_DBItem		
InpSession	INP-1422 - Store class map on disk RESOLVED	INP-1672 - [bc fix] Store class map on disk SCHEDULED
InpSessionStorage		
PhrasesCache		

Property Deleted (23)

Element	Introduced In	Fixed In
kApplication::\$RewriteListeners	INP-1079 - Use "Router" concept instead of "Rewrite Listener" concept RESOLVED	NEVER
kRewriteUrlProcessor::\$rewriteListeners		
TemplatesCache::\$_compressOutput	INP-1194 - Remove "Compress Compiled PHP Templates" functionality RESOLVED	NEVER
kTempTablesHandler::\$AlreadyProcessed	INP-1243 - Refactor "kTempTablesHandler" class RESOLVED	NEVER
kTempTablesHandler::\$CopiedTables		
kTempTablesHandler::\$DroppedTables		
kTempTablesHandler::\$FKeysCache		
kTempTablesHandler::\$FinalRefs		
kTempTablesHandler::\$MasterIDs		
kTempTablesHandler::\$MasterTable		
kTempTablesHandler::\$TableIdCounter		
kTempTablesHandler::\$Tables		
kTempTablesHandler::\$WindowID		
kTempTablesHandler::\$savedIDs		
kUnitConfigReader::\$AfterConfigProcessed		
kUnitConfigReader::\$CacheExpired		
kUnitConfigReader::\$FinalStage		
kUnitConfigReader::\$ProcessAllConfigs		
kUnitConfigReader::\$StoreCache		
kUnitConfigReader::\$_directorySeparator		

kUnitConfigReader::\$_moduleFolderRegExp		
kUnitConfigReader::\$_skipFolders		
LanguageImportHelper::\$import_mode	INP-825 - Ability to Keep Language Packs in Sync NEEDS CHANGES	INP-1674 - [bc fix] Ability to Keep Language Packs in Sync SCHEDULED

Property Scope Reduced (5)

Element	Introduced In	Fixed In
kDBConnection::\$errorHandler OLD: public NEW: protected	INP-1274 - Store deployment log in the database RESOLVED	NEVER
kDBLoadBalancer::\$errorHandler OLD: public NEW: protected		
kUnitConfigReader::\$configData OLD: public NEW: protected	INP-1301 - Make cloned unit config available during Url Processing RESOLVED	INP-1673 - [bc fix] Make cloned unit config available during Url Processing SCHEDULED
kUnitConfigReader::\$configFiles OLD: public NEW: protected		
kUnitConfigReader::\$prefixFiles OLD: public NEW: protected		

Method Deleted (58)

Element	Introduced In	Fixed In
CategoriesEventHandler::CategoryRewriteListener	INP-1079 - Use "Router" concept instead of "Rewrite Listener" concept RESOLVED	NEVER
CategoriesEventHandler::_buildMainUrl		
CategoriesEventHandler::_parseCategory		
CategoriesEventHandler::_parseFriendlyUrl		
WidgetEventHandler::WidgetRewriteBuilder		
WidgetEventHandler::WidgetRewriteListener		
WidgetEventHandler::WidgetRewriteParser		
kRewriteUrlProcessor::_initRewriteListeners		
kRewriteUrlProcessor::_processRewriteListeners		
kThemesHelper::getTemplateAliases	INP-1112 - Pre-resize image to speed up page loading RESOLVED	NEVER
TemplatesCache::_compress	INP-1194 - Remove "Compress Compiled PHP Templates" functionality RESOLVED	NEVER
FormSubmissionsEventHandler::getFieldByRole	INP-1203 - OOP unit config creation RESOLVED	
kApplication::getUnitOption		

kApplication::getUnitOptions		INP-1675 - [bc fix] OOP unit config creation SCHEDULED
kApplication::setUnitOption		
kDBItem::getStatusField		
kUnitConfigReader::getUnitOption		
kUnitConfigReader::getUnitOptions		
kUnitConfigReader::setUnitOption		
EmailTemplateEventHandler::OnProcessEmailQueue	INP-1223 - Asynchronous e-mail sending by default RESOLVED	NEVER
MailingListEventHandler::OnProcessEmailQueue		
MailingListEventHandler::_ensureDefault		
kTempTablesHandler::AddTables	INP-1243 - Refactor "kTempTablesHandler" class RESOLVED	NEVER
kTempTablesHandler::CheckSimultaneousEdit		
kTempTablesHandler::CopySubTablesToLive		
kTempTablesHandler::CreateTempTable		
kTempTablesHandler::DoCopyLiveToTemp		
kTempTablesHandler::DoCopyTempToOriginal		
kTempTablesHandler::DropTempTable		
kTempTablesHandler::GetForeignKeys		
kTempTablesHandler::GetLiveName		
kTempTablesHandler::GetMasterTempName		
kTempTablesHandler::GetTempName		
kTempTablesHandler::GetTempTablePrefix		
kTempTablesHandler::IsTempTable		
kTempTablesHandler::RaiseEvent		
kTempTablesHandler::SearchTable		
kTempTablesHandler::SetTables		
kTempTablesHandler::UpdateChangeLogForeignKeys		
kTempTablesHandler::UpdateForeignKeys		
kTempTablesHandler::getMainIDs		
kTempTablesHandler::saveID		
kUnitConfigReader::ValidateConfig	INP-1244 - Move parsing/validation code from "kUnitConfigReader" to "kUnitConfig" class RESOLVED	NEVER
kUnitConfigReader::getClasses		
kUnitConfigReader::getPseudoByOptionName		
kUnitConfigReader::parseAggregatedTags		
kUnitConfigReader::parseClasses		
kUnitConfigReader::parseConfig		
kUnitConfigReader::parseHooks		
kUnitConfigReader::parseScheduledTasks		

kUnitConfigReader::varDump		
kUnitConfigReader::ParseConfigs	INP-1301 - Make cloned unit config available during Url Processing RESOLVED	INP-1673 - [bc fix] Make cloned unit config available during Url Processing SCHEDULED
kUnitConfigReader::_sortRewriteListeners		
kUnitConfigReader::iterateConfigs		
kUnitConfigReader::postProcessConfig		
kUnitConfigReader::prefixRegistered		
kUnitConfigReader::processDynamicClones		
ScheduledTaskEventHandler::OnRun	INP-1435 - Add Console command for running Scheduled Tasks RESOLVED	NEVER

Method Scope Reduced (8)

Element	Introduced In	Fixed In
FormsEventHandler::getForms OLD: public NEW: protected	INP-1203 - OOP unit config creation RESOLVED	INP-1675 - [bc fix] OOP unit config creation SCHEDULED
kTempTablesHandler::_getSeparateConnection OLD: public NEW: protected	INP-1243 - Refactor "kTempTablesHandler" class RESOLVED	NEVER
kUnitConfigReader::PreloadConfigFile OLD: public NEW: protected	INP-1301 - Make cloned unit config available during Url Processing RESOLVED	INP-1673 - [bc fix] Make cloned unit config available during Url Processing SCHEDULED
kUnitConfigReader::configAllowed OLD: public NEW: protected		
kUnitConfigReader::findConfigFiles OLD: public NEW: protected		
kUnitConfigReader::getConfigName OLD: public NEW: protected		
kUnitConfigReader::includeConfigFiles OLD: public NEW: protected		
kUnitConfigReader::retrieveCollections OLD: public NEW: protected		

Method Signature Changed (24)

Element	Introduced In	Fixed In
kScheduledTaskManager::update OLD: \$scheduled_task_name, \$fields_hash NEW: &\$scheduled_task_data, \$fields_hash	INP-1112 - Pre-resize image to speed up page loading RESOLVED	NEVER

<p>FileHelper::_createCustomFields OLD: \$prefix, \$field_name, &\$virtual_fields, \$sis_image = false NEW: \$prefix, \$field_name, \kUnitConfig \$config, \$sis_image = false</p> <p>RelationshipEventHandler::getTitleField OLD: \$prefix NEW: \kUnitConfig \$config</p> <p>ReportsEventHandler::GetMetricOptions OLD: &\$a_config_options, \$exclude_field NEW: \kUnitConfig \$config, \$exclude_field</p> <p>kRecursiveHelper::MoveCategories OLD: \$category_ids, \$dest_category_id NEW: \$category_ids, \$dst_category_id</p>	<p>INP-1203 - OOP unit config creation RESOLVED</p>	<p>INP-1675 - [bc fix] OOP unit config creation SCHEDULED</p>
<p>MailingListHelper::processQueue OLD: &\$messages</p> <p>kEmail::send OLD: \$recipient_user_id = NULL, \$immediate_send = true NEW: \$recipient_user_id = NULL</p>	<p>INP-1223 - Asynchronous e-mail sending by default RESOLVED</p>	<p>NEVER</p>
<p>kTempTablesHandler::CancelEdit OLD: \$master = NULL</p> <p>kTempTablesHandler::DeleteItems OLD: \$prefix, \$special, \$ids, \$master = NULL, \$foreign_key = NULL NEW: \$prefix, \$special, \$ids</p>	<p>INP-1243 - Refactor "TempTablesHandler" class RESOLVED</p>	<p>NEVER</p>
<p>kApplication::registerScheduledTask OLD: \$short_name, \$event_string, \$run_schedule, \$status = STATUS_ACTIVE NEW: \$short_name, \$event_string, \$run_schedule, \$module, \$status = STATUS_ACTIVE</p> <p>kEventManager::registerScheduledTask OLD: \$short_name, \$event_string, \$run_schedule, \$status = STATUS_ACTIVE NEW: \$short_name, \$event_string, \$run_schedule, \$module, \$status = STATUS_ACTIVE</p> <p>kScheduledTaskManager::add OLD: \$short_name, \$event_string, \$run_schedule, \$status = STATUS_ACTIVE NEW: \$short_name, \$event_string, \$run_schedule, \$module, \$status = STATUS_ACTIVE</p>	<p>INP-1293 - Record & display Module for Scheduled Tasks RESOLVED</p>	<p>INP-1676 - [bc fix] Record & display Module for Scheduled Tasks SCHEDULED</p>
<p>kUnitConfigReader::findConfigFiles OLD: \$folderPath, \$level = 0 NEW: \$folder_path, \$level = 0</p> <p>kUnitConfigReader::getConfigName OLD: \$folderPath NEW: \$folder_path</p> <p>kUnitConfigReader::includeConfigFiles OLD: \$folderPath, \$cache = true NEW: \$folder_path, \$cache = true</p> <p>kUnitConfigReader::scanModules OLD: \$folderPath, \$cache = true NEW: \$folder_path, \$cache = true</p>	<p>INP-1301 - Make cloned unit config available during Url Processing RESOLVED</p>	<p>INP-1673 - [bc fix] Make cloned unit config available during Url Processing SCHEDULED</p>

kEmail::_generateAccessKey OLD: \$log_fields_hash	INP-1304 - Write e-mail processing errors to "E-mail Log" RESOLVED	NEVER
FileHelper::pathToUrl OLD: \$url NEW: \$path, \$domain = NULL	INP-1328 - Unify BaseURL method logic for ssl and non-ssl urls RESOLVED	INP-1677 - [bc fix] Unify BaseURL method logic for ssl and non-ssl urls SCHEDULED
kApplication::BaseURL OLD: \$prefix = "", \$ssl = NULL, \$add_port = true NEW: \$domain = "", \$ssl_redirect = NULL		
kApplication::HandleEvent OLD: \$event, \$params = NULL, \$specific_params = NULL NEW: \kEvent \$event	INP-1462 - Simplify "kEvent" class constructor RESOLVED	INP-1678 - [bc fix] Simplify "kEvent" class constructor SCHEDULED
kEvent::__construct OLD: \$params = array(), \$specific_params = NULL NEW: \$event_string, array \$specific_params = array()		
kEvent::copyFrom OLD: \$source_event, \$inherit = false NEW: \kEvent \$source_event, \$inherit = false		
kEvent::setRedirectParams OLD: \$params, \$append = true NEW: array \$params, \$append = true		
LanguageImportHelper::performImport OLD: \$filename, \$phrase_types, \$module_ids, \$import_mode = LANG_SKIP_EXISTING NEW: \$filename, \$phrase_types, \$module_ids	INP-825 - Ability to Keep Language Packs in Sync NEEDS CHANGES	INP-1674 - [bc fix] Ability to Keep Language Packs in Sync SCHEDULED

Function Deleted (16)

Element	Introduced In	Fixed In
_adodb_getdate _adodb_is_leap_year adodb_date adodb_date2 adodb_date_test_date adodb_date_test_strftime adodb_dow adodb_get_gmt_diff adodb_getdate adodb_gmtime adodb_gmmktime adodb_gmstrftime adodb_is_leap_year adodb_mktime adodb_strftime	INP-1302 - Use build-in date manipulation functions instead of AdoDb library RESOLVED	INP-1679 - [bc fix] Ability to Keep Language Packs in SyncUse build-in date manipulation functions instead of AdoDb library SCHEDULED

adodb_year_digit_check

Constant Deleted (2)

Element	Introduced In	Fixed In
ADODB_DATE_VERSION	INP-1302 - Use build-in date manipulation functions instead of AdoDb library RESOLVED	INP-1679 - [bc fix] Ability to Keep Language Packs in SyncUse build-in date manipulation functions instead of AdoDb library SCHEDULED
LANG_OVERWRITE_EXISTING	INP-825 - Ability to Keep Language Packs in Sync NEEDS CHANGES	INP-1674 - [bc fix] Ability to Keep Language Packs in Sync SCHEDULED
LANG_SKIP_EXISTING		